



H O L Z
C E R T
A U S T R I A

EC-CERTIFICATE OF CONFORMITY

1359 - CPD – 0008

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

Glued laminated timber

corresponding to the product specification listed on the back side

placed on the market by

**Nordlam GmbH
Gasereistraße 1
D-39126 Magdeburg**

and produced in the factory

D-39126 Magdeburg

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body - HOLZFORSCHUNG AUSTRIA - has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in the Annex ZA of the standard

EN 14080:2005

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 11.01.2007 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Vienna, 10.06.2008

HOLZCERT AUSTRIA
ZVR-850936522


DI M. Spatt
Authorised Signatory




DI S. Czamatzian
Head of Certification Body

Akkreditierte Zertifizierungsstelle der Österreichischen Gesellschaft für Holzforschung
HOLZCERT AUSTRIA, A-1030 Wien, Franz Grill-Straße 7
ZVR 850936522

Tel. +43-1/796 65 45-0, Fax +43-1/798 26 23-50, E-Mail hca@holzcert.at, Homepage www.holzcert.at



Product specification
to the EC-CERTIFICATE OF CONFORMITY 1359 - CPD – 0008
dated 10.06.2008

Construction product:

Glued laminated timber for structural purposes (buildings and bridges)

Classes of Glued laminated timber: GL 24h, GL 28h, GL 32h und GL 36h
GL 24c, GL 28c, GL 32c und GL 36c

Service class: 1, 2, 3

Wood species: Picea abies - Spruce
Abies alba - Fir

Strength values: according to EN 1194

Adhesives: Typ 1 gemäß EN 301: MUF

Reaction to fire: D-s2, d0

Formaldehyde class: E1

Natural durability: Picea abies – Spruce 4
Abies alba - Fir 4

